

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	0	hotta.in. and minolta.as.	USPAT	2004/08/12 15:58		
2	BRS	10	hotta.in. and minolta.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:02		
3	BRS	0	2000339467.URPN.	USPAT	2004/08/12 15:59		
4	BRS	30	polhemus.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:10		
5	BRS	80	(NORITA and TOSHIO).in. and (three adj dimension\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:32		
6	BRS	1	((NORITA and TOSHIO).in. and (three adj dimension\$4)) and (turn adj table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:32		
7	BRS	60363	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:39		
8	BRS	4273	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4 same ((orientation or pose or posture or position) near7 (track\$4 or determin\$4 or calculat\$4 or identifi\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:29		
9	BRS	119	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4 same ((turn adj table) or turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:24		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
10	BRS	1713	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) with (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:42		
11	BRS	2790	356/601-613.ccls. or 382/154,285,293.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:13		
12	BRS	1338	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near2 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:12		
13	BRS	513	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near2 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) with (subject or object or model or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:33		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14	BRS	106	(356/601-613.ccls. or 382/154,285,293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and (subject or object or model or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:33		
15	BRS	84	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:36		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
16	BRS	37	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:59		
17	BRS	84	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:12		
18	BRS	121	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
19	BRS	1454	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:11		
20	BRS	42	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:13		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
21	BRS	57	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and (((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:13		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
22	BRS	20	<p>(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (detect\$4 or measur\$4 or captur\$5)))) and (((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and (((transmitter and receiver) with (orientation or pose or posture or position or coordinate))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2004/08/12 18:13		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
23	BRS	121	(((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
24	BRS	105	(((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4))) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identifi\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
	25 BRS	103	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate or locat\$4))) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) or dimension\$4)) with imag\$4) same ((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identifi\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) and ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4) with imag\$4) same ((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identifi\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
26	BRS	5	((356/601-613.ccls. or 382/154,285,293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) with (subject or object or model or scene)))) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:27		
27	BRS	24	5285397.URPN.	USPAT	2004/08/12 18:32		
28	BRS	5	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:12		
29	BRS	28	((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmitt\$3 and receiv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:39		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
30 BRS	23	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmit\$3 and receiv\$3)) not (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) and (transmitter and receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:30		
31 BRS	13	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same ((turn adj table) or turntable)) same ((orientation or pose or posture or position or coordinate) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) with (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 18:43		
32 BRS	1	W000/66973	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:59		
33 BRS	2	"200066973"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:59		
34 BRS	1	2001-112022.NRAN.	DERWENT	2004/08/12 19:59		
35 BRS	1	2001-112022.NRAN.	DERWENT	2004/08/12 20:04		
36 BRS	5	("3840739" "4791482" "4928175" "5446798" "5754680").PN.	USPAT	2004/08/12 20:08		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
37	BRS	1454	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:18		
38	BRS	2790	356/601-613.ccls. or 382/154,285,293.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:36		
39	BRS	228	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))))) and (356/601-613.ccls. or 382/154,285,293.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:13		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
40	BRS	171	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5))))) and (356/601-613.ccls. or 382/154,285,293.ccls.) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:20		
41	BRS	498	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) with (object or subject or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:19		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
42	BRS	520	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) with (object or subject or scene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:20		
43	BRS	115	((356/601-613.ccls. or 382/154,285,293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identif\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) with (object or subject or scene)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:20		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
44	BRS	86	((356/601-613.ccls. or 382/154,285,293.ccls.) and (((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same (((orientation or pose or posture or position or coordinate or locat\$4) near7 (track\$4 or determin\$4 or calculat\$4 or identifi\$7 or sens\$5)) near7 (camera or (imag\$4 near2 (sens\$4 or detect\$4 or measur\$4 or captur\$5)))) with (object or subject or scene)))) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:38		
45	BRS	0	"20010014171" and "1103"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:26		
46	BRS	33	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable)) and (transmit\$3 and receiv\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:59		
47	BRS	0	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable)) and (transmitter and receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:32		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
48	BRS	0	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:34		
49	BRS	0	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3) same ((transmitter and receiver) same (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:34		
50	BRS	88	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 20:34		
51	BRS	73	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3) same ((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:34		
52	BRS	5	("3840739" "4791482" "4928175" "5446798" "5754680").PN.	USPAT	2004/08/12 20:50		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
53	BRS	143	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:02		
54	BRS	19	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with (imag\$4 or model\$3)) same ((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate or locat\$4)) with (camera or (imag\$4 near2 (device or captur\$4 or sens\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:12		
55	BRS	1	"20010005204" and (position with camera with turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:14		
56	IS&R	1	("6356272").PN.	USPAT	2004/08/12 21:14		
57	BRS	1	((("6356272").PN.) and (position with camera with turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 21:15		
58	BRS	15047	((transmitter and receiver) with (orientation or pose or posture or position or coordinate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:35		
59	BRS	248	((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) with (camera or (imag\$4 near3 (device or captur\$4 or sens\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:36		
60	BRS	2790	356/601-613.ccls. or 382/154,285,293.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:36		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
61	BRS	73	((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) with (camera or imag\$4 near3 (device or captur\$4 or sens\$4))) and ((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:37		
62	BRS	39	((transmitter and receiver) with (orientation or pose or posture or position or coordinate)) with (camera or imag\$4 near3 (device or captur\$4 or sens\$4))) and ((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 18:33		
63	BRS	2	6228028.pn. and position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 12:52		
64	BRS	455	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4 and ((turn adj table) or turntable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:52		
65	BRS	4796	((turn adj table) or turntable) with (mark\$4 or point\$1 or fiducial or sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:49		
66	BRS	76	((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4 and ((turn adj table) or turntable) and ((turn adj table) or turntable) with (mark\$4 or point\$1 or fiducial or sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:26		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
67	BRS	49	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable)) and ((turn adj table) or turntable) with (mark\$4 or point\$1 or fiducial or sensor))) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:50		
68	BRS	1	6081273.pn. and turntable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:36		
69	BRS	1316	((turn adj table) or turntable) with (transmitter or receiver or reflect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:52		
70	BRS	20	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable)) and ((turn adj table) or turntable) with (transmitter or receiver or reflect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		
71	BRS	16	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable)) and ((turn adj table) or turntable) with (transmitter or receiver or reflect\$3))) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		
72	BRS	14397	((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
73	BRS	135	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable)) and (((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 13:53		
74	BRS	87	(((((three adj dimension\$4) or 3d or 3-d or ("3" adj dimension\$4)) with imag\$4) and ((turn adj table) or turntable)) and (((turn adj table) or turntable) with (orientation or pose or posture or position or coordinate))) and (@ad<=20000926 or @rlad<=20000926)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:06		
75	BRS	0	10332347.URPN.	USPAT	2004/08/13 14:06		
76	BRS	733	(murata and shinji).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:08		
77	BRS	1	((murata and shinji).in.) and turntable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:07		
78	BRS	351	(murata near3 shinji).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:08		
79	BRS	1	((murata near3 shinji).in.) and (three adj dimension\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:08		
80	IS&R	1	("6411725").PN.	USPAT	2004/08/13 18:37		
81	BRS	1	6411725.pn. and (transmitter and receiver)	USPAT	2004/08/13 18:37		